


Industrial Unit Heater**EU Series****Features**

- | | |
|------------------------|--|
| Color | - Almond |
| Finish | - Hybrid polyester epoxy powder coat paint finish |
| Voltage | - 120,208,240,277,347,480,600;1 and 3 phase |
| Construction | - 18 gauge die formed steel
- Individual adjustable, single piece 20 gauge convex profile air directing louvers |
| Heating Element | - Metal tubular sheath fused with spiral steel fins
- High quality nickel chromium wire encased in solidly packed magnesium oxide insulation |
| Heat Output | - Fan size and pitch is matched to the power and speed of the unit to optimize CFM, airflow, temperature rise, and quietness |
| Control | - Jumper provided to disable built-in thermostats when remote thermostats are required
- Field installed summer fan control and low voltage control options |
| Installation | - Ceiling hanger bracket included, optional wall bracket available (allows swivel movement) |
| Warranty | - One-year warranty on complete unit |
| Applications | - Shipping/receiving areas, warehouse storage areas, garages |

Industrial Unit Heater

EU Series



Industrial Unit Heater

EU Series

EUH

Cat. No.	kW	BTU	Volts	Phase	CFM	Weight (kg/lbs.)	Qty
EUH02B21T	2	6824	208	1	350	16 / 36	
EUH02B24CT	2	6824	208	1/3	350	16 / 36	
EUH02B31T	2	6824	240	1	350	16 / 36	
EUH02B51CT	2	6824	347	1	350	16 / 36	
EUH02B71CT	2	6824	480	1	350	16 / 36	
EUH02B74CT	2	6824	480	1/3	350	18 / 40	
EUH02B81CT	2	6824	600	1	350	18 / 40	
EUH02B84CT	2	6824	600	1/3	350	18 / 40	
EUH03B11T	3	10236	120	1	350	16 / 36	
EUH03B21T	3	10236	208	1	350	16 / 36	
EUH03B24CT	3	10236	208	1/3	350	16 / 36	
EUH03B31T	3 / 2.3	10236	240/208	1	350	16 / 36	
EUH03B34CT	3 / 2.3	10236	240/208	1/3	350	16 / 36	
EUH03B41CT	3	10236	277	1	350	18 / 40	
EUH03B51CT	3	10236	347	1	350	18 / 40	
EUH03B73CT	3	10236	480	3	350	18 / 40	
EUH03B81CT	3	10236	600	1	350	18 / 40	
EUH03B83CT	3	10236	600	3	350	18 / 40	
EUH04B21T	4	13648	208	1	350	16 / 36	
EUH04B24CT	4	13648	208	1/3	350	16 / 36	
EUH04B31T	4	13648	240	1	350	16 / 36	
EUH04B51CT	4	13648	347	1	350	16 / 36	
EUH04B71CT	4	13648	480	1	350	18 / 40	
EUH04B74CT	4	13648	480	1/3	350	18 / 40	
EUH04B81CT	4	13648	600	1	350	18 / 40	
EUH05B21T	5	17060	208	1	350	16 / 36	
EUH05B24CT	5	17060	208	1/3	350	16 / 36	
EUH05B31T	5/3.8	17060/12795	240/208	1	350	16 / 36	
EUH05B34CT	5/3.8	17060/12795	240/208	1/3	350	16 / 36	
EUH05B41T	5	17060	277	1	350	18 / 40	
EUH05B51CT	5	17060	347	1	350	18 / 40	
EUH05B74CT	5	17060	480	1/3	350	18 / 40	
EUH05B84CT	5	17060	600	1/3	350	18 / 40	
EUH08B24CT	7.5	25590	208	1/3	600	21 / 46	
EUH08B34CT	7.5/5.6	25590/19193	240/208	1/3	600	21 / 46	
EUH08B74CT	7.5	25590	480	1/3	600	22 / 50	
EUH08B84CT	7.5	25590	600	1/3	600	22 / 50	
EUH10B24CT	10	34120	208	1/3	600	21 / 46	
EUH10B34CT	10/7.5	34120/25590	240/208	1/3	600	21 / 46	
EUH10B74CT	10	34120	480	1/3	600	22 / 50	
EUH10B84CT	10	34120	600	1/3	600	22 / 50	
EUH12B74CT	12	40944	480	1/3	600	22 / 50	
EUH12B84CT	12	40944	600	1/3	600	22 / 50	

Industrial Unit Heater

EU Series

EUL

Cat. No.	kW	BTU	Volts	Phase	CFM	Weight (kg/lbs.)	Qty
EUL15B23C	15	51180	208	3	990	45 / 100	
EUL15B33C	15	51180	240	3	1200	48.6 / 108	
EUL15B51C	15	51180	347	1	1200	48.6 / 108	
EUL15B71C	15	51180	480	1	1200	48.6 / 108	
EUL15B73C	15	51180	480	3	1200	48.6 / 108	
EUL15B81C	15	51180	600	1	1200	48.6 / 108	
EUL15B83C	15	51180	600	3	1200	48.6 / 108	
EUL20B21C	20	68240	208	1	990	45 / 100	
EUL20B23C	20	68240	208	3	990	45 / 100	
EUL20B31C	20	68240	240	1	1200	48.6 / 108	
EUL20B33C	20	68240	240	3	1200	48.6 / 108	
EUL20B51C	20	68240	347	1	1200	48.6 / 108	
EUL20B71C	20	68240	480	1	1200	48.6 / 108	
EUL20B73C	20	68240	480	3	1200	48.6 / 108	
EUL20B83C	20	68240	600	3	1200	48.6 / 108	
EUL25B73C	25	85300	480	3	1200	48.6 / 108	
EUL25B83C	25	85300	600	3	1200	48.6 / 108	
EUL30B23C	30	102360	208	1/3	1600	48.6 / 108	
EUL30B73C	30	102360	480	3	1600	58.1 / 129	
EUL30B83C	30	102360	600	3	1600	58.1 / 129	

EUS

Cat. No.	kW	BTU	Volts	Phase	CFM	Weight (kg/lbs.)	Qty
EUS40B73C	40	136480	480	3	1,950	72 / 160	
EUS40B83C	40	136480	600	3	1,950	72 / 160	
EUS50B73C	50	170600	480	3	1,950	72 / 160	
EUS50B83C	50	170600	600	3	1,950	72 / 160	

Industrial Unit Heater

EU Series

Control Options (field installed)

Cat. No.	Description	Qty
EUAF2	Summer Fan Switch	
EUAR11	24V low voltage relay/transformer kit for 120V unit heaters	
EUAR21	24V low voltage relay/transformer kit for 208V unit heaters	
EUAR31	24V low voltage relay/transformer kit for 240V unit heaters	
EUAR41	24V low voltage relay/transformer kit for 277V unit heaters	
EUARCR	24V low voltage relay less transformer, suitable for all units	
EUAT	Single pole thermostat for 15-50kW unit heaters	

Accessories (field installed)

Cat. No.	Description	Qty
EUD20J3	Power disconnect 3 phase, 20A / 600V	
EUD30Y2	Power disconnect 2 phase, 30A / 277V	
EUD30J3	Power disconnect 3 phase, 30A / 600V	
EUD55J3	Power disconnect 3 phase, 55A / 600V	
EUHWB	Wall hanger bracket for EUH series (3-12kW)	
EULSWB	Wall hanger bracket for EUL/EUS series (15-50kW)	

Specifications may change without prior notice

Project:	Approval Information
Consultant Engineer:	
Electrician Contractor:	
Distributor:	
Date :	
Contact at Dimplex:	
Comments:	